

Certificate of Compliance

Certificate:	2683405
Certificate:	2003403

Project: 2683405

Issued to: Chalmit Lighting

Master Contract: 201067

Date Issued:

March 27, 2014

A Division of Hubbell Lighting Ltd. 388 Hillington Rd Glasgow, G52 4BL United Kingdom Attention: Mr. George Banks

The products listed below are eligible to bear the CSA Mark shown



Jím Belevítch

Issued by: Jim Belevitch

PRODUCTS

CLASS 3428 03 - FIXTURES AND FITTINGS - For Hazardous Locations

Ex de IIB Gb; T4 or T5 (as specified in the table below); Tamb = -55° C to $+55^{\circ}$ C; IP66. Suitable for Wet Locations.

Nevis Bulkhead Luminaire. Ratings are as specified in the following table:

Lamp Type	Electrical Input	Wattage (W)	Ambient Temp.	Temp. Code	Supply Wire	Delay Time
	Rating		Range (°C)		Min. Temp. Rating (°C)	Before Opening (minutes)
SON/E	208/220/230/	50	-50 To 55	T4	80	10
	240/250Vac, 50/60Hz					
SON/E	120/208/220/	70	-50 To 55	T4	80	10
	230/240/254					
	Vac, 50/60Hz					



Certificate: 2683405

Project: 2683405

Master Contract: 201067

Date Issued: Mar

March 27, 2014

MBI	120/208/220/	70	-50 To 55	T4	80	10
	230/240/254					
	Vac, 50/60Hz					
QL	120/220-240	55	-50 To 55	T5	70	10
	Vac/Vdc, 50/60Hz					

APPLICABLE REQUIREMENTS

CSA Standard C22.2 No. 0-10 - Ge	neral Requirements - Canadian Electrical Code Part II.
CAN/CSA C22.2 No. 60079-0: 07 - General Requirements	Electrical Apparatus for Explosive Gas Atmospheres – Part 0:
CAN/CSA C22.2 No. 60079-1: 07 - Flameproof Enclosures "d"	Electrical Apparatus for Explosive Gas Atmospheres – Part 1:
CAN/CSA C22.2 No. 60079-7: 12 - Increased Safety "e"	Explosive Atmospheres – Part 7: Equipment Protection by
CSA C22.2 No. 250.0-08 (R2013) -	Luminaires
CAN/CSA C22.2 No. 60529: 05 - De	egrees of protection provided by enclosures (IP Code) - First Edition

MARKINGS

The manufacturer is required to apply the following markings:

- Products shall be marked with the markings specified by the particular product standard.
- Products certified for Canada shall have all Caution and Warning markings in both English and French.

Additional bilingual markings not covered by the product standard(s) may be required by the Authorities Having Jurisdiction. It is the responsibility of the manufacturer to provide and apply these additional markings, where applicable, in accordance with the requirements of those authorities.

The following markings are applied on a stainless steel nameplate that is riveted to the front face of the terminal compartment cover:

- (a) Submittor's name, trademark, or the CSA Master Contract No.
- (b) The model designation "Nevis Bulkhead".



Certificate:	2683405	Master Contract:	201067
Project:	2683405	Date Issued:	March 27, 2014

(c) Serial number and/or date code, traceable to the month and year of manufacture.

- (d) Electrical ratings (Volts, Amperes).
- (e) Lamp type (including cap size) and wattage.
- (f) Hazardous location designation.
- (g) Temperature Code.
- (h) Ambient temperature range.

(i) Supply wire minimum temperature rating or the supply wire temperature rise above ambient temperature.

- (j) IP66.
- (k) SUITABLE FOR WET LOCATIONS.

(1) Warning statement "AFTER DE-ENERGISING, DELAY 10 MINUTES BEFORE OPENING" and French translation "AVERTISSEMENT: Après la mise hors tension. délai de 10 minutes avant l'ouverture" or alternate Warning statement "DO NOT OPEN WHEN AN EXPLOSIVE ATMOSPHERE IS PRESENT" and French translation "NE PAS OUVRIR UN présence d'atmosphère explosive".

(m) CSA Mark.



Supplement to Certificate of Compliance

Certificate: 2683405

Master Contract: 201067

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
2683405	Mar 27, 2014	Certification of Nevis Bulkhead luminaire for hazardous locations as Ex de IIB Gb.